

P.O. 80x 1047 Addis Ababa Ethiopia tel.: +251 (0) 11 5 515 700 www.ethiotelecom.et

PART V. Classifications of the requirement

Technical Requirements For EV 2WD Automobile Sedan

			Electrical System	2.4
	Knock Out	Manufacturer's current standard	Lubrication	
) #51/	Lubrication System	2.3
	Knock Out	Shall be maicated	Charging speed(Slow & Fast)	
	Knock Out	Shall be regicated	Charging Power(Slow & Fast)	
	Knock Out	Shall be indicated	Charging time(Slow & Fast)	
7	Knock Out	Shall be indicated	Port location	
	Knock Out	≥310 km	Distance coverage with full charge	
	Knock out	Both by house hold electric outlet (Slow charging and quick charge(charging station) Charging unit shall use 220 and ≥340 AC input respectively	Two port charging	
	Knock Out	Shall be brush less/ Synchronous permanent magnet motor/	The power plant EV motor	
	Knock Out	Pure electricity	Power type	
	Knock Out	Shall be indicated	Max. output Torque NM/rpm	
	Knock Out	Shall be indicated	Maximum output power kw/rpm	
			Power plant	2.2
	Knock Out	2WD	Drive	
	Knock Out	5 persons including driver	Seating capacity	
	Knock Out	(1600-2200 kg)	Gross Vehicle Weight	
	Knock Out	Shall be indicated	Curb weight	
	Knock Out	EV Automobile Sedan	Vehicle Type	
			Fundamental Requirements	2.1
		TECHNICAL SPECIFICATIONS		2
	NIOCK Out	inspection services before the vehicle is put in to operation.		1.4
	Vrock Out	The manufacturer or his delegated dealer shall give washing, lubrication and	Pre-Delivery Service	
	Knock Out	Recommended spare part list shall be submitted with the offer	Spare parts list	1.3
	Knock Out	with all conditions stipulated under the bid instruction	waitatity	1.2
	Knock Out	Sea level -2500m	Altitude	
	Knock Out	Humid Tropics-arid Desert	Climate	
	Knock Out	0-55 °C	Temperature	
			The vehicle shall be required to operate under the following environmental conditions	1.1
ent manufacturing practices.	bled and equipped with as per current manufacturing practices.	The intent of this specification is to describe an electrical car to be used on road in Ethiopia. It shall be constructed, assembled a	ent of this specification is to describe an	The inter
			GENERAL	1
nt Bidders Offer/Proposal	Evaluation Allotted point Methodology	Requirement	Description	No.

A STATE OF THE STA

E



P.O. Box 1047 Addis Ababa Ethiopia tel.: +251 (0) 11 5 515 700 yyyyyzethiotelecom.et

	100			
	remone out	Activity Color Optionally Color and District Part Color		1
	Knock out	Rain rold enlashes discond shind front	Communication	
	Knock out	All steel welded	-	
			BODY FUNDAMENTAL	2.6
	Merit Point	Type, rate of damping and other essential parameters shall be provided.	Axles	
	Knock out	Manufacturer's current practice	Shock absorber	
	Knock out	Manufacturer's current product	Rear	
	Knock out	Manufacturer's current product	Front	
			SUSPENTIONS AND AXLES	2.5.5
	Knock out	Shall be provided	A complete spare tire with carrier	
	Merit Point	Manufacturer's current product	Size	
	Merit Point	Tubeless	Туре	
			Tires	
	Merit Point	Shall be interchangeable	All wheels and rims	
			WHEELS and TIRES	254
	Knock out	Shall be equipped with power regenerative system	The brake system	
	Knock out		Parking Break	
	Knock Out	Manufacturer's current product shall be accepted, ABS and EBS shall be fitted	Service Break	
		The second secon	3 BREAKS	293
	Knock Out	Left Hand, electrical power assisted with tilt and collapsible	Type	
		一般の はいこう はない ない かいこう ない かい こうじょう	STEERING	252
	Knock out	Shall be indicated	No. of speeds:	
	Knock Out	Manufacturer Current Standard	Shifting mechanism	
	Knock Out		Type	
		c		
	Knock Out	Full Automatic/EV single speed gearbox	-	
2.			-	2.5.1
		大学 の 一	CHASSIS	2.5
	Knock Out	Visual		
	Merit Point	Audible	Warning Device	
	Knock Out	Manufacturers standard flasher visible to the front and rear shall be provided	Hazard warning flasher	
	Knock Out	Electrical operated 3 speed high, low and intermittent) with electrical washer	Wind shield wipers	
	Knock Out	Manufacturer current standard	Lighting system	
	Knock Out	Electrical	Horn electrical	
	Knock Out	At least 8 years	Lithium-ion battery warranty	
	Knock Out	lithium-ion polymer/Shall be indicated/	Battery type and capacity	
	Knock out	Tropical, 12V@ ≥20 HR. rating	Battery type and capacity	1
point	Methodology Sustant point	vendani činima	A SECTION OF THE PROPERTY OF T	September 1979

(Pa

A)

4



P.O. Box 1047 Addis Ababa Ethiopia tel.: +251 (0) 11 5 515 700 www.ethiolelecom.et

			3000	-	6	
		Knock out	113	< 5.6m *	Turning radius curb to curb (m)	
大学の はない はない こうしょうしょう					PERFORMANCE REQUIRMENTS	2.12
		Knock out	W. J.	≥ 150mm/x	Ground clearance	
		Knock out	The same of the sa	2480-2700mm	Wheel base	
		Knock out	The state of the s	1420-1600mm	Overall Height	
		Knock out	-	1645-2000mm	Overall width	
		Knock out	m .	3450-5000mm	Overall length	
					DIMENSSION (Fundamental)	2.11
		Merit Point	Shall be assisted by sound	Shall be assis	Parking assistant warning system	
	,	Merit Point	vided	Shall be provided	Rare view camera	
		Merit Point	vided	Shall be provided	Mud flap (F&R)	
		Knock Out	Shall be fitted (at least one side has to be provided)	Shall be fitter	Towing device (F&R)	
		Knock out	construction	Heavy duty construction	Bumpers (F&R)	
		Merit Point	FM, four speakers and power antenna, Bluetooth & USB Port/connector/	FM, four spe		
		Merit Point	FM/AM or SW 4 band radio with CD player	FM/AM or S	Audio system	
		Knock out	Manufacturer's current standard (detail list shall be provided). All gauges and controls shall be labeled in English.	Manufactures controls shall	Instrumental panel	
	1	Merit Point	rided	Shall be provided	Head Rest Rear Scat	
		Knock out	vided	Shall be provided	Head Rest Front Seat	
		Knock Out	vided	Shall be provided	Rear defogger	
		Knock Out	vided	Shall be provided	Wind screen defroster	
		Merit Point	vided	Shall be provided	Foot rest	
		Knock out	vided ·	Shall be provided	Air conditioner	
		Knock Out	vided	Shall be provided	Power Windows (F&R)	
	,	Merit point	vided	Shall be provided	Hand hold grips	
		Knock out	2 sufficiently wide exterior mirrors on the left and right hand side and one interior, (electrically operated)	2 sufficiently interior, (elec	Mirrors	
		Knock out	able	Dual Adjustable	Sun Visors	
		Knock out		Safety type	Glasses	
		Knock out	Shall be fitted at the front for both driver and passenger	Shall be fitter	Air bag	
		Knock out	Shall be provided for driver and passengers	Shall be prov	Safety belts	
	ř	Knock out	Adjustable, Front Separate	Adjustable, F	Front seats	
		Merit point	Manufacturer's current standard upholstery	Manufacture	Seats	
		Knock Out	A central door locking system shall be provided where the system is activated by the driver's door locks on all four doors.	A central doo by the driver	Locking system	
Bidders Offer/Proposal	Allotted point	Methodology	Requirement		Description	No.
				Name of the last o		

The second of th

_

Fig.



P.O. Box 1047 Addis Ababa Ethiopia tel.: +251 (0) 11 5 515 700 www.ethiotelecom.et

	d la	Fotal Points Scored		スプランスを対象のようというのでは、
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Knock Out	Please specify the country of origin of the vehicles ·	Country of Origin
	1/2	Knock Out	≥ 2022	Manufacturing Year In G.C
7	1/50		RY OF ORIGIN	9 MANUFACTURING YEAR & COUNTRY OF ORIGIN
Part of Parts		Knock out	The supplier shall have a proven aftersales service experience & facilities and willing to sign after sales service (After sales service certificates from Gov. office shall be provided together with other related document.	
			· · · · · · · · · · · · · · · · · · ·	8 AFTER SALES SERVICE
	8	Merit point	1 each/lot or Soft copy	Repair manual
		Merit point	1 each/lot or Soft Copy (optional, but price list shall be provided)	Parts manual
		Knock Out	1 each/unit or Soft Copy	Owner's manual
1000年				7. MANUALS
		Knock out	Please provide all available list of colors and Ethio telecom can select from the list.	As per buyer's choice.
				6. COLOR
		Merit Point	Manufacturer's optional items with price list shall be provided	
				5. OPTIONAL ITEMS (Fundamental)
	v	Merit Point	Required	Ash tray
		Merit Point	Required	Pintel Hook(F&R)
		Merit Point	Required	One set of essentials tool
		Merit Point	Required	First Aid kit
		Merit Point	Required	Cigarette lighter
		Knock out	Shall be provided .	House hold EV charger with different STD adapter.
		Merit Point	1 pc	Fire extinguisher
		Knock Out	I pc	Jack with wheel wrench
				4 OTHERS
		Knock Out	All essential standard manufacturers' tools shall be provided with each vehicle.	
				3. TOOLS
		Merit Point	Shall be indicated	Acceleration time in Second(s)
×		Merit Point	Shall be given (Bidders shall put their stamp and provide the data that is recognized by the manufacturer)	Certified Braking distance at average speed M/sec
		Knock out	≥ 120 km/hr	Maximum speed km/hr
	ı	Merit Point	Shall be indicated	Grade ability (degree)
Bidders Offer/Proposal	Allotted point	Evaluation Methodology	Requirement	No. Description

N.B. The user/commodity team may apply the mandatory, and merit at a time to compare the offered proposal of the bidders relatively or independently depending procured.



P.O. Box 1047 Addis Ababa Ethiopia tel.: +251 (0) 11 5 515 700 www.ethiotelecom.et

Field Kit Of Spare Parts 307 EVILLADD AURONOBILE Sedon

The Following Lists for Each Unit with Price List Shall Be Provided with The Offer. The Quality, Quantity & Item Should Be Strictly Followed

Item No.	Description	Unit	Qty	Remark
_	Climate Control Air Filter	pcs	25	
2	Master cylinder Brake Kit	Set	თ	
ω	Brake line , Hose & Connection	pcs	10	
4	Brake lining	kit	15	
5	Brake Pad	pcs	25	
6	Fuse (Various)	Each	10	
7	Bulb (Various)	Each	10	
8	Shock absorber (F)	pcs	10	
9	Shock absorber (R)	pcs	10	
10	Steering gear rack, linkage, and boots	pcs	5	
11	Wheel cylinder kit	set	10	
12	Brake wheel cylinder Assay	pcs	5	
13	Km Sensor	pcs	5	
14	Rubber wiper blade	set	15	

4

OH.

A

